

2" CLR. EXCEPT FOR
SPLAYING AT END
DIAPHRAGMS (TYP.)


C.G. OF
STRANDS

DIMENSION SHOWN
ON POST-TENSIONING
PROFILE

TENDON IN SAG CURVE

STRAND LOCATION DETAIL

MEASURED BEFORE POST-TENSIONING.



DUCT SPLICE DETAIL

POST-TENSIONING TABLE

		MIN. CONC. COMPRESSIVE STRENGTH (KSI)		NUMBER OF	PRESTRESSING LOAD (KIPS)						TEMPORARY STRANDS		
SPAN	GIRDER				IA CKINIC	AFTER	PRESTRESS	E1 (IN.)	E2 (IN.)	E3 (IN.)	NUMBER OF	JACKING	
		GIRDER	CLOSURE	STRANDS	JACKING	SEATING	LOSS (KSI)				STRANDS	FORCE (KIPS)	

GIRDER

POST-TENSIONING STRAND PATTERN AT & SPAN

POST-TENSIONING NOTES

- 1. THE MINIMUM COMPRESSIVE STRENGTH OF THE CAST-IN-PLACE CONCRETE AT THE CLOSURE AT THE TIME OF POST-TENSIONING SHALL BE AS SHOWN IN POST-TENSIONING TABLE.
- 2. THE MAXIMUM OUTSIDE DIAMETER OF THE DUCT SHALL BE ??? INCHES. THE AREA OF THE DUCT SHALL BE AT LEAST 2.5 TIMES THE NET AREA OF THE PRESTRESSING STEEL IN THE DUCT.
- 3. THE DESIGN IS BASED ON [½" \emptyset OR 0.6" \emptyset] LOW RELAXATION STRANDS WITH AN ANCHOR SET OF 3%", A CURVATURE FRICTION COEFFICIENT, μ = 0.20 AND A WOBBLE FRICTION COEFFICIENT, k = 0.0002/FT. THE ACTUAL ANCHOR SET AND JACKING FORCE USED BY THE CONTRACTOR SHALL BE SPECIFIED IN THE SHOP PLANS AND INCLUDED IN THE TRANSFER FORCE CALCULATIONS.
- 4. THE DESIGN IS BASED ON THE ESTIMATED PRESTRESS LOSS OF POST-TENSIONING STRANDS SHOWN IN THE POST-TENSIONING TABLE DUE TO STEEL RELAXATION, ELASTIC SHORTENING CREEP AND SHRINKAGE OF CONCRETE.

- 5. THE CONTRACTOR SHALL SUBMIT THE STRESSING SEQUENCE AND ELONGATION CALCULATIONS TO THE ENGINEER FOR APPROVAL. ALL LOSSES DUE TO TENDON VERTICAL AND HORIZONTAL CURVATURE MUST BE INCLUDED IN ELONGATION CALCULATIONS. THE STRESSING SEQUENCE SHALL MEET THE FOLLOWING CRITERIA:
 - A. THE PRESTRESSING FORCE SHALL BE DISTRIBUTED WITH AN APPROXIMATELY EQUAL AMOUNT IN EACH WEB AND SHALL BE PLACED SYMMETRICALLY ABOUT THE CENTERLINE OF THE BRIDGE.

CLOSURE DETAIL

- B. NO MORE THAN ONE-HALF OF THE PRESTRESSING FORCE IN ANY WEB MAY BE STRESSED BEFORE AN EQUAL FORCE IS STRESSED IN THE ADJACENT WEBS. AT NO TIME DURING STRESSING OPERATION WILL MORE THAN 1/6 OF THE TOTAL PRESTRESSING FORCE IS APPLIED ECCENTRICALLY ABOUT THE CENTERLINE OF THE BRIDGE.
- 6. ALL TENDONS SHALL BE STRESSED FROM ONE END.
- 7. TEMPORARY STRANDS SHALL BE POST-TENSIONED IN ACCORDANCE WITH SECTION 6-02.3(25)L OF THE STANDARD SPECIFICATIONS. TEMPORARY STRANDS MAY BE POST-TENSIONED ON THE SAME DAY THE PRETENSIONING IS RELEASED INTO THE GIRDER.

Š											
ו מ	dridge Design Engr. M:\Standards\Girders\PT Wide Flange\WF74PTG1.MAN										
	Supervisor					REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
٦. [Designed By										
	Checked By					10	WASH,			i l	
ž	Detailed By					JOB NUMBER				i l	
	Bridge Projects Engr.					JOB NUMBER				i l	
	Prelim. Plan By									i l	
	Architect/Specialist	DATE	REVISION	BY	APP'D						
	Tue Apr 29 13:46:45 2008										

BRIDGE AND STRUCTURES OFFICE



STANDARD
PRESTRESSED CONCRETE GIRDERS

WF74PTG SPLICED GIRDER
DETAILS 1 OF 5

BRIDGE SHEET
NO.

SHEET
SHEET
SHEET
SHEETS

SHEET

5.9-A1-3